

IN THE CLAIMS:

Please cancel Claim 13.

Please amend Claims 9-11 and 14 as follows:

9. (Amended) Polymer blends according to Claim 1 characterised in that they contain polyethylene naphthalate and/or polybutylene naphthalate as the polyalkylene naphthalate.

10. (Amended) Polymer blends according to Claim 1 characterised in that the grafting backbone of the graft polymer B is selected from among at least one rubber from the group of diene rubbers, EP(D)M rubbers, acrylate, polyurethane, silicone, chloroprene and ethylene/vinyl acetate rubbers.

11. (Amended) Polymer blends according to Claim 1 characterised in that they contain at least one additive from the group of flame retardants, stabilisers, pigments, mould release agents, flow auxiliaries and/or antistatic agents.

14. (Amended) Mouldings, in particular casing components, cladding sheets and components for the automotive sector, characterised in that they are produced using polymer blends according to Claim 1.

Please add the following new claims 15-26.

--15. A thermoplastic molding composition comprising at

(i) at least one member selected from the group consisting of poly(ester)carbonate and graft polymer and

(ii) polyalkylene naphthalate, and optionally

(iii) at least one member selected from the group consisting of vinyl(co)polymer and polyalkylene terephthalate,

said composition characterized in the absence of polytetrafluoroethylene therefrom.

16. The molding composition of Claim 15 wherein polyalkylene naphthalene is present in an amount of 0.2 to 99 parts by weight, the sum of the parts by weight of (i), (ii) and (iii) being 100.

17. The molding composition of Claim 15 wherein polyalkylene naphthalene is present in an amount of 0.4 to 85 parts by weight, the sum of the parts by weight of (i), (ii) and (iii) being 100.

18. The molding composition of Claim 15 wherein polyalkylene naphthalene is present in an amount of 0.6 to 75 parts by weight, the sum of the parts by weight of (i), (ii) and (iii) being 100.

19. The molding composition of Claim 15 wherein (i) is polycarbonate and (iii) is polyalkylene terephthalate.

20. The molding composition of Claim 15 wherein (i) is polycarbonate and graft polymer and (iii) is polyalkylene terephthalate.


21. The molding composition of Claim 15 wherein (i) is graft polymer.

22. The molding composition of Claim 15 wherein polyalkylene terephthalate is at least one member selected from the group consisting of polyethylene terephthalate and polybutylene terephthalate.

23. The molding composition of Claim 15 wherein graft polymer includes a grafting backbone is at least one rubber selected from the group consisting of diene, EP(D)M, acrylate, polyurethane, silicone, chloroprene and ethylene/vinyl acetate.

24. The molding composition of Claim 15 further containing at least one additive selected from the group consisting of flame retardants, stabilizers, pigments, mold release agents, flow auxiliaries and anti static agents.

25. The molding composition of Claim 15 further containing a flame retardant conforming to



in which

R^5 , R^6 , R^7 and R^8 independently one of the others denote a member selected from the group consisting of C_1 - C_8 alkyl, C_5 - C_6 cycloalkyl, C_6 - C_{30} aryl and C_7 - C_{12} aralkyl,

X means a mono- or polycyclic aromatic residue having 6 to 30 carbon atoms.

k independently one of the other denote 0 or 1 and

N is 0 to 30.

26. A molded article comprising the composition of Claim 15.--